

Total Solution for Outdoor Cabinet

Wall Mount Outdoor fiber optic

*Standard
Double Layer
Stainless
For CCTV or IP Camera
(48-60 F)*



6U



9U



12U



15U



27U

19" WALL RACK MOUNT OUTDOOR



ความสูง 409 mm.

(สามารถสังวัตสุ ชนิด Aluminum ได้)

6U 19" Wall Mount RACK Outdoor Fiber Optic

Part Number	Description	List Price
B1-WM6U-OUT4	6U 19" Wall Mount Rack Outdoor (40cm)	9,068
B1-WM6U-OUT5	6U 19" Wall Mount Rack Outdoor (50cm)	11,336
B1-WM6U-OUT6	6U 19" Wall Mount Rack Outdoor (60cm)	13,468
B1-WM6U-OUT4H	6U 19" Wall Mount Rack Outdoor (40cm) Hot Dip	13,268
B1-WM6U-OUT4ST	6U 19" Wall Mount Rack Outdoor (40cm) Stainless	25,336
B1-WM6U-OUT5ST	6U 19" Wall Mount Rack Outdoor (50cm) Stainless	29,204
B1-WM6U-OUT6ST	6U 19" Wall Mount Rack Outdoor (60cm) Stainless	33,204

(สามารถติดตั้ง พัดลมขนาด 4 นิ้วได้ 4 ตัว โดยยึดจุดละ 2 ตัว ด้านล่างและด้านบนหลังคา)



ความสูง 543 mm.

(สามารถสังวัตสุ ชนิด Aluminum ได้)

9U 19" Wall Mount RACK Outdoor Fiber Optic

Part Number	Description	List Price
B1-WM9U-OUT4	9U 19" Wall Mount Rack Outdoor (40cm)	11,068
B1-WM9U-OUT5	9U 19" Wall Mount Rack Outdoor (50cm)	14,400
B1-WM9U-OUT6	9U 19" Wall Mount Rack Outdoor (60cm)	16,536
B1-WM9U-OUT5ST	9U 19" Wall Mount Rack Outdoor (50cm) Stainless	34,000
B1-WM9U-OUT6ST	9U 19" Wall Mount Rack Outdoor (60cm) Stainless	37,068

(สามารถติดตั้ง พัดลมขนาด 4 นิ้วได้ 4 ตัว โดยยึดจุดละ 2 ตัว ด้านล่างและด้านบนหลังคา)



ความสูง 676 mm.

หน้ากว้าง 600 mm.



(สามารถสังวัตสุ ชนิด Aluminum ได้)

12U 19" Wall Mount RACK Outdoor Fiber Optic

Part Number	Description	List Price
B1-WM12U-OUT4	12U 19" Wall Mount Rack Outdoor (40cm)	14,000
B1-WM12U-OUT5	12U 19" Wall Mount Rack Outdoor (50cm)	15,336
B1-WM12U-OUT6	12U 19" Wall Mount Rack Outdoor (60cm)	16,952
B1-WM12U-OUT4ST	12U 19" Wall Mount Rack Outdoor (40cm) Stainless	37,868
B1-WM12U-OUT5ST	12U 19" Wall Mount Rack Outdoor (50cm) Stainless	40,536
B1-WM12U-OUT6ST	12U 19" Wall Mount Rack Outdoor (60cm) Stainless	46,536

(สามารถติดตั้ง พัดลมขนาด 4 นิ้วได้ 4 ตัว โดยยึดจุดละ 2 ตัว ด้านล่างและด้านบนหลังคา)

12U 19" Wall Mount RACK Outdoor Double Layer Protect UV-Sunlight




ความสูง 676 mm.

หน้ากว้าง 600 mm.



(ฝาสองชั้น กันแสงแดด และ ระบายความร้อน)



Part Number	Description	List Price
B1-WM12U-OUT4-R	12U 19" Wall Rack Outdoor (40cm) Double Layer	26,136
B1-WM12U-OUT5-R	12U 19" Wall Rack Outdoor (50cm) Double Layer	30,000
B1-WM12U-OUT6-R	12U 19" Wall Rack Outdoor (60cm) Double Layer	33,068
B1-WM12U-OUT4-RT	12U 19" Wall Rack Outdoor (40cm) Double Layer (Stainless)	52,668
B1-WM12U-OUT5-RT	12U 19" Wall Rack Outdoor (50cm) Double Layer (Stainless)	54,668
B1-WM12U-OUT6-RT	12U 19" Wall Rack Outdoor (60cm) Double Layer (Stainless)	56,668

(สามารถติดตั้ง พัดลมขนาด 4 นิ้วได้ 4 ตัว โดยยึดจุดละ 2 ตัว ด้านล่างและด้านบนหลังคา)

19" WALL RACK MOUNT OUTDOOR

15U Outdoor 19" Cabinet Rack

Part Number	Description	List Price
B1-WM96-OUT19	19" Wall Mount Outdoor 15U Rack(40cm) Thick 1.0mm (ແຂວນ)	14,536
B1-WM96-OUT195	19" Wall Mount Outdoor 15U Rack(50cm) Thick 1.0mm (ແຂວນ)	15,600
B1-WM96-OUT196	19" Wall Mount Outdoor 15U Rack(60cm) Thick 1.0mm (ແຂວນ)	21,136
B1-WM96-OUT198	19" Wall Mount Outdoor 15U Rack(80cm) Thick 1.0mm (ແຂວນ)	30,668
B1-WM96-OUT195T	19" Wall Mount Outdoor 15U Rack(50cm) Thick 1.5mm (ຕັ້ງພື້ນ)	19,336
B1-WM96-OUT196T	19" Wall Mount Outdoor 15U Rack(60cm) Thick 1.5mm (ຕັ້ງພື້ນ)	23,736
B1-WM96-OUT198T	19" Wall Mount Outdoor 15U Rack(80cm) Thick 1.5mm (ຕັ້ງພື້ນ)	35,868
B1-WM96-OUT195H	19" Wall Mount Outdoor 15U Rack(50cm) Thick 2.0mm Hot Dip	27,336
B1-WM96-OUT195ST	19" Wall Mount Outdoor 15U Rack(50cm) Stainless (ຕັ້ງພື້ນ)	42,000
B1-WM96-OUT196ST	19" Wall Mount Outdoor 15U Rack(60cm) Stainless (ຕັ້ງພື້ນ)	43,336
B1-WM96-OUT198ST	19" Wall Mount Outdoor 15U Rack(80cm) Stainless (ຕັ້ງພື້ນ)	44,668

(ສາມາດໃສ່ພັດລມໄດ້ 4 ຕົວ ຂະໜາດ 4 ນິ້ວ ໂດຍຍື່ນຈຸດລະ 2 ຕົວ ດ້ານລຸ່ງແລະດ້ານບ່າຍຫຼັງຄຳ)

ແບບແຂວນ



ຄວາມສູງ 810 mm.

ຜາກວ້າງ 600 mm.

ແບບຕັ້ງພື້ນ



20U Outdoor 19" Cabinet Rack

Part Number	Description	List Price
B1-WM20U-OUT4	20U 19" Cabinet Rack Outdoor (60x40cm)	28,268
B1-WM20U-OUT5	20U 19" Cabinet Rack Outdoor (60x50cm)	30,936
B1-WM20U-OUT6	20U 19" Cabinet Rack Outdoor (60x60cm)	33,604
B1-WM20U-OUT8	20U 19" Cabinet Rack Outdoor (60x80cm)	36,268
B1-WM20U-OUT1	20U 19" Cabinet Rack Outdoor (80x100cm)	38,936
B1-WM20U-POLE	2 Pole for 20U Rack outdoor (ໄຟຼ ຄູ່ຫຼັງ)	2,204/Pair

(ສາມາດໃສ່ພັດລມໄດ້ 4 ຕົວ ຂະໜາດ 4 ນິ້ວ ໂດຍຍື່ນຈຸດລະ 2 ຕົວ ດ້ານລຸ່ງແລະດ້ານບ່າຍຫຼັງຄຳ) ແບບຕັ້ງພື້ນ



ຄວາມສູງ 1022 mm.

ມາຕຣາຊານຕູ້ ຈະມີເສາສຳລັບຮັບຮີດອຸປະກອນ 2 ເສາ ຜາ
ຖ້າຕ້ອງການຮີດອຸປະກອນທີ່ຜາກວ້າງ ຈະຕ້ອງເພີ່ມ ເສາຄູ່ຫຼັງ

19" WALL RACK MOUNT OUTDOOR

27U Outdoor 19" Cabinet Rack

Part Number	Description	List Price
B1-WM27U-OUT5	27U 19" Cabinet Rack Outdoor (60x50cm)	38,668
B1-WM27U-OUT6	27U 19" Cabinet Rack Outdoor (60x60cm)	40,668
B1-WM27U-OUT8	27U 19" Cabinet Rack Outdoor (60x80cm)	42,668
B1-WM27U-OUT1	27U 19" Cabinet Rack Outdoor (60x100cm)	45,696
B1-WM27U-OUT85	27U 19" Cabinet Rack Outdoor (80x50cm)	44,668
B1-WM27U-POLE	2 Pole for 27U Rack outdoor (ใส่ กุ้งหลัง)	2,400/Pair
B1-WM27U-OUT6ST	27U 19" Cabinet Rack Outdoor (60x60cm) Stainless Steel	91,000
B1-WM27U-OUT8ST	27U 19" Cabinet Rack Outdoor (60x80cm) Stainless Steel	94,800



ตู้สแตนเลส

หน้ากว้างมาตรฐาน 60 ซม.
ความสูง 1343 mm.หน้ากว้างพิเศษ 80 ซม.
เพิ่มพื้นที่จัดสายด้านหลังมาตรฐานตู้ จะมีเสาสำหรับยึดอุปกรณ์ 2 เสา หน้า
ถ้าต้องการยึดอุปกรณ์ที่หนักๆ จะต้องเพิ่ม เสาหลัง

(สามารถใส่พัดลมได้ 4 ตัว ขนาด 4 นิ้ว โดยยึดจุดละ 2 ตัว ด้านล่างและด้านบนหลังคา) แบบตั้งพื้น

27U Outdoor 19" Cabinet Rack (ประตูหน้าเปิด 2 บาน)

Part Number	Description	List Price
B1-WM27U-2OUT6	27U 19" Cabinet Rack Outdoor, 2 Door (60x60cm)	42,000
B1-WM27U-2OUT8	27U 19" Cabinet Rack Outdoor, 2 Door (60x80cm)	50,136
B1-WM27U-2OUT1	27U 19" Cabinet Rack Outdoor, 2 Door (60x100cm)	58,400
B1-WM27U-POLE	2 Pole for 27U Rack outdoor (ใส่ กุ้งหลัง)	2,400/Pair

หน้ากว้างมาตรฐาน 60 ซม.
ความสูง 1343 mm.มาตรฐานตู้ จะมีเสาสำหรับยึดอุปกรณ์ 2 เสา หน้า
ถ้าต้องการยึดอุปกรณ์ที่หนักๆ จะต้องเพิ่ม เสาหลัง

27U Outdoor 19" Cabinet Rack (ประตูเปิด หน้า และ เปิดหลังได้ ประตูหน้าบานเดียว)

Part Number	Description	List Price
B1-WM27U-OUT6P	27U 19" Cabinet Rack Outdoor, เปิด หน้า-หลัง (60x60cm)	43,736
B1-WM27U-OUT8P	27U 19" Cabinet Rack Outdoor, เปิด หน้า-หลัง (60x80cm)	51,736
B1-WM27U-POLE	2 Pole for 27U Rack outdoor (ใส่ กุ้งหลัง)	2,400/Pair

CABINET OUTDOOR FOR CCTV & IP CAMERA



8 Snap-in Plate (Standard)
W:440xH:600xD:245mm

ขอบประตูของตู้ เป็น Form ชนิดพิเศษ
สามารถป้องกันฝุ่นและความชื้นได้สูงสุด
อายุการใช้งานยาวนานกว่ายางทั่วไป

96 Port Wall Mount Outdoor Enclosure Fiber Optic

Part Number	Description	List Price
B1-WM96-OUT	96 Port Wall Mount Enclosure Fiber Outdoor	6,536
B1-WM96-OUT-SL	96 Port Wall Mount Stainless Enclosure Fiber(สั่งขั้นต่ำ 50 ใบ)	18,800

(สามารถใส่ Snap-in Plate ได้ 8 plate, ติดตั้ง พัดลมขนาด 4 นิ้วได้ 2 ตัว และมีขาวาง UPS ได้ถึงขนาด 1,000VA)



ใช้ตอนที่มี UPS สูงมาก

B1-AP4P-OUT

4 Snap-in Plate (Option)



ผลิตจากเหล็ก EG (Electro Gavanized)
ซึ่งไม่เหมือนตู้ไฟฟ้า ใบละ 800 บาท
หน้าตา อาจจะคล้ายกันแต่ต่างกันที่ วัสดุและฟังก์ชัน



ตัวอย่างการติดตั้งอุปกรณ์



W:440xH:600xD:245mm

ผนังตู้ 2 ชั้น เพื่อระบายความร้อน
สามารถใส่พัดลมได้ 2 ตัว
รับงานสั่งผลิตตู้เหล็กทุกชนิด

96 Port Wall Mount Outdoor Enclosure Fiber Optic(Side Panel 2 Layer)

Part Number	Description	List Price
B1-WM96-OUT-R	96 Port Wall Mount Outdoor Enclosure Fiber	9,866



รูปด้านใน




รูปด้านล่าง
ติดพัดลมได้



รูปด้านหลัง
สำหรับยึดผนังปูน



รูปด้านหลัง
สำหรับยึดเสากลม



ภาพแสดงการ
ระบายความร้อน ด้านข้าง



Stainless

W:440xH:600xD:245mm

ผนังตู้ 2 ชั้น เพื่อระบายความร้อน
สามารถใส่พัดลมได้ 2 ตัว

96 Port Wall Mount Outdoor Enclosure Fiber Optic(Stainless)

Part Number	Description	List Price
B1-WM96-OUT-SL	96 Port Wall Mount Stainless Enclosure Fiber	35,868

ตู้แบบ แอสเตนเลส เหมาะกับงาน แนวริมทะเล ที่สามารถป้องกันความเค็มได้



สามารถสั่งแบบฝาชั้นเดียวได้ ราคาจะถูกกว่านี้

96 Port Wall Mount Outdoor Enclosure Fiber Optic(Aluminum)

Part Number	Description	List Price
B1-WM96-OUT-AL	96 Port Wall Mount Aluminum Enclosure Fiber	34,536

ตู้แบบ อลูมิเนียม เหมาะกับงาน แนวริมทะเล ที่สามารถป้องกันความเค็มได้

สามารถสั่งแบบฝาชั้นเดียวได้ ราคาจะถูกกว่านี้



W:440xH:600xD:245mm

ผนังตู้ 2 ชั้น เพื่อระบายความร้อน
สามารถใส่พัดลมได้ 2 ตัว

CABINET OUTDOOR FOR CCTV & IP CAMERA



W:700xH:700xD:300mm

96 Port Wall Mount Outdoor Enclosure Fiber Optic (Big Side)

Part Number	Description	List Price
B1-WM96-OUT377	96 Port Wall Mount Outdoor Cabinet	9,468

(สามารถใส่ Snap-in Plate ได้ 8 plate, ติดตั้ง พัดลมขนาด 4 นิ้วได้ 2 ตัว และมีขั้ววาง UPS ได้ถึงขนาด 1,600VA)




PILOT LAMP Wall Mount Outdoor Cabinet Fiber Optic (Double Layer)

Part Number	Description	List Price
B1-WM96-OUTR752	Pilot-Lamp Wall Mount Outdoor Cabinet (Double Layer)	16,748

(สามารถใส่ Snap-in Plate ได้ 8 plate, ติดตั้ง พัดลมขนาด 4 นิ้วได้ 2 ตัว และมีขั้ววาง UPS ได้ถึงขนาด 1,000VA)



W:540xH:700xD:245mm
 ราคารวม Pilot-lamp เขียวแดง
 พร้อมกรอบกระจกใส
 โชว์สถานะของตู้ ทำงานหรือไม่



CCTV 48Port Fiber Wall Mount Outdoor Enclosure (Small)

Part Number	Description	List Price
B1-WM48CC-OUT	48 Port Fiber Wall Mount Outdoor cabinet for CCTV	8,668

(สามารถใส่ Snap-in Plate ได้ 4 plate, ติดตั้ง พัดลมขนาด 4 นิ้วได้ 4 ตัว(บนล่าง) และมีขั้ววาง UPS ได้ถึงขนาด 500VA)



W:400xH:450xD:250mm
 ด้านข้างมีช่องระบายอากาศ
 พร้อมตะแกรงกันแมลง
 และช่องพัดลมด้านบน



19" RACK MOUNT ENCLOSURE FIBER OPTIC

36-Slide-Rack Mount Enclosure Fiber Optic

Part Number	Description	List Price
B1-FD36-SL	36 Port Rack Mount Enclosure Fiber Slide	3,268

(สามารถใส่ Snap-in Plate ได้ 3 ช่อง ทั้งชนิด ST/SC/FC/LC Adaptor)



36-Fix-Rack Mount Enclosure Fiber Optic

Part Number	Description	List Price
B1-FD36	36 Port Rack Mount Enclosure Fiber -FIX	1,536


(สามารถใส่ Snap-in Plate ได้ 3 ช่อง ทั้งชนิด ST/SC/FC/LC Adaptor)



48-144 Port Slide-Rack Mount Enclosure Fiber Optic

Part Number	Description	List Price
B1-FD144-SL	48-144 Port Rack Mount Enclosure Fiber Slide	5,866
B1-AP48FC-EGAT	FC-Adaptor Plate 48 Port Single Plate-เลข 1 แถวบน	660
B1-AP48FC-TOT	FC-Adaptor Plate 48 Port Single Plate	660
B1-AP48SC-TOT	SC-Adaptor Plate 48 Port Single Plate, simplex	660
B1-AP48FC-TOT	FC-Adaptor Plate 48 Port Single Plate	660
B1-AP48SC-TOT	SC-Adaptor Plate 48 Port Single Plate, simplex	660

(สามารถใส่ Snap-in Plate ได้ 8 และ 12 ช่อง ทั้งชนิด ST/SC/FC/LC Adaptor, หรือ ใส่ plate แบบแผ่นเดียวก็ได้)



8 Snap-in Plate (96 Core)

12 Snap-in Plate (144 Core)

48 Port FC แผ่นเดียว

60 Port FC แผ่นเดียว

48 Port SC/96 LC แผ่นเดียว

60 Port SC/ 120 LC แผ่นเดียว

24-Wall Mount Enclosure Fiber Optic

Part Number	Description	List Price
B1-WM24	24 Port Wall Mount Enclosure Fiber	2,468


(สามารถใส่ Snap-in Plate ได้ 2 ช่อง ทั้งชนิด ST/SC/FC/LC Adaptor)



48-Wall Mount Enclosure Fiber Optic

Part Number	Description	List Price
B1-WM48	48 Port Wall Mount Enclosure Fiber	2,908

(สามารถใส่ Snap-in Plate ได้ 4 ช่อง ทั้งชนิด ST/SC/FC/LC Adaptor)



48-Wall Mount OUTDOOR Fiber Optic

Part Number	Description	List Price
B1-WM48-OUT	48-72 Port Wall Mount Outdoor enclosure Fiber	6,068

(สามารถใส่ Snap-in Plate ได้ 8 ช่อง ทั้งชนิด ST/SC/FC/LC Adaptor)
(สามารถใส่ Single Plate ได้ 1 ชิ้น แผ่นเดียว 48 Port Standard TOT ชนิด FC D-type Adaptor)



(Plate ชิ้นเดียว 48 port FC)




(Plate 6, 12 Port ST, SC, FC, LC)



(สามารถใส่ Plate ได้ 2 ชนิด)


ACCESSORIES FOR OUTDOOR-INDOOR RACK & CABINET



6U, 9U, 12U, 15U, 27U

POLE-MOUNT FOR CABINET RACK OUTDOOR

Part Number	Description	List Price
B1-WM6U-POLE	2 Pole of Pole Mount 6U: 1 pair (เสาตู้แร็ค ขนาด 6U 1 คู่ ด้านหลัง)	736
B1-WM9U-POLE	2 Pole of Pole Mount 9U: 1 pair (เสาตู้แร็ค ขนาด 9U 1 คู่ ด้านหลัง)	1,096
B1-WM12U-POLE	2 Pole of Pole Mount 12U: 1 pair (เสาตู้แร็ค ขนาด 12U 1 คู่ ด้านหลัง)	1,468
B1-WM15U-POLE	2 Pole of Pole Mount 15U: 1 pair (เสาตู้แร็ค ขนาด 15U 1 คู่ ด้านหลัง)	1,800
B1-WM27U-POLE	2 Pole of Pole Mount 27U: 1 pair (เสาตู้แร็ค ขนาด 27U 1 คู่ ด้านหลัง)	2,552



ความลึก-Deep 40, 50, 60, 80, 100 cm

Part Number	Description	List Price
B1-WMPLATE-4	Plate for Stand (D:40cm) (ขายึดแท่นปูนความลึก 40 ซม.)	800
B1-WMPLATE-5	Plate for Stand (D:50cm) (ขายึดแท่นปูนความลึก 50 ซม.)	1,000
B1-WMPLATE-6	Plate for Stand (D:60cm) (ขายึดแท่นปูนความลึก 60 ซม.)	1,200
B1-WMPLATE-8	Plate for Stand (D:80cm) (ขายึดแท่นปูนความลึก 80 ซม.)	1,600
B1-WMPLATE-10	Plate for Stand (D:100cm) (ขายึดแท่นปูนความลึก 100 ซม.)	1,900

Filter FANs
(แผ่นใยสังเคราะห์)

BLK-WM96OUT



1x4"


FAN & FILTER FOR WALL CABINET RACK OUTDOOR

Part Number	Description	List Price
B1-WMFILTER-F	Filter 2x4inch for FAN 4"x4" (ชุดสำหรับแผ่นกรองอากาศ)	336
BMR-6601	Ventilating FAN 1x4" (พัดลมเดี่ยว ขนาด 4 นิ้ว x 4 นิ้ว)	456
BMR-6602	Ventilating FAN 2x4" (พัดลมคู่ 2 ตัว ขนาด 4 นิ้ว x 4 นิ้ว)	1,096
BLK-WM96OUT	Blank Panel for FAN 2x4" (แผ่นปิดรูพัดลมขนาด 2x4")	160

AC POWER DISTRIBUTION FOR WALL CABINET RACK OUTDOOR



Part Number	Description	List Price
BMR-6606	AC Power Distribution 6 Universal Outlet with 3M	1,160
BMR-6608	AC Power Distribution 8 Universal Outlet with 3M	1,508



COMPONENT SHELVES FOR WALL CABINET RACK OUTDOOR

Part Number	Description	List Price
BMRF-6745	Fix Shelf for Open Rack 45 cm, Depth	696
BMRS-6745	Slide Shelf for Open Rack 45 cm, Depth	1,400



ACCESSORIES FOR WALL CABINET RACK OUTDOOR

Part Number	Description	List Price
BA-6601	Cage Nut (น็อต U สำหรับยึดอุปกรณ์)	10.70

WALL MOUNT & CABINET OUTDOOR

12 Port Wall Mount fiber optic small

Part Number	Description	List Price
B1-WM12-SM	12 Port Wall Mount Fiber optic small	2,066
B1-AP31U-WM12	19" Panel 3 Unit for Wall mount 12 small	328
B1-APBLK-WM12	Blank Panel for Wall mount 12 small	104
B1-APWM12	Back Lock 3 for Rack 19" Wall mount small	80

(Box-Size: (WxDxH) : 134x270x40mm) สามารถเปลี่ยน Snap-Plate ได้ทั้ง ST/SC/FC/LC



ตัวเล็กสามารถติดตั้งในตู้ไฟฟ้า
ในระบบ PLC ได้เลย



เปิดด้านใน



ด้านหลัง






ด้านล่าง



(เหมาะสำหรับติดตั้งในตู้ไฟฟ้าทุกประเภท)



เมื่อประกอบเป็นชุด Set




ACCESSORIES & CLOSURE FIBER OPTIC



LC Adapter



FC Adapter



SC Adapter



ST Adapter

B1-API6LC

B1-AP6FC

B1-AP12FC

B1-AP6SC

B1-AP12SC

B1-AP6FC

B1-AP12FC

B1-AP12ST

B1-AP6ST

B1-AP12ST

B1-BLK

B1-AP48FC

Snap-in Plate for Rack Mount and Wall Mount Enclosure

Part Number	Description	List Price
B1-AP6ST	6 Port ST Adaptor Plate	80
B1-AP12ST	12 Port ST Adaptor Plate	80
B1-AP6SC	6 Port SC Adaptor Plate	80
B1-AP12SC	12 Port SC Adaptor Plate	80
B1-AP6FC	6 Port FC Adaptor Plate	80
B1-AP12FC	12 Port FC Adaptor Plate	80
B1-AP16LC	16 Port LC Adaptor Plate	80
B1-BLK	Blank Panel (แผ่นปิดช่องว่าง)	80
B1-AP48FC	48 Port FC Adaptor Plate (TOT)	call

Splice Tray for Fusion Splice fiber optic cable (ถาดเก็บจุดต่อ ของสายใยแก้วนำแสง)

Part Number	Description	List Price
B1-SP12	Splice tray 12 core (157x92x18mm)	200
B1-SP24	Splice tray 24 core (163x100x14.5)	240
B1-SP12-SM	Splice tray 12 core small (135x77x12mm)	160

Fusion Splice Protection Sleeve (ท่อหุ้ม สำหรับป้องกันการหัก ของสายใยแก้วนำแสง หลังการเชื่อม)

Part Number	Description	List Price
B1-PTS-6-3	Fusion Splice Protection Sleeve 60mm	6
B1-PTS-4-3	Fusion Splice Protection Sleeve 45mm	6

Buffer Tube (ท่อร้อยสายใยแก้วนำแสง)

Part Number	Description	List Price
B1-BFT900-CL	Clear 900um Furcation Tube	12



CABINET INDOOR FOR FIBER OPTIC CABLE



ด้านหน้า เปิด 2 บาน

Fiber optic cabinet distribution

Part Number	Description	List Price
B1-ODFJC-C200	Indoor Cabinet Rack telecom fiber optic (800x400x2000mm)	Call
B1-ODFJC-C220	Indoor Cabinet Rack telecom fiber optic (800x400x2200mm)	Call

Fiber optic cabinet is a high-capacity, high-density fiber distribution frame indoor floor standard 19inch front two transparent doors reae two metal door



ด้านหน้า

Fiber optic cabinet distribution

Part Number	Description	List Price
B1-ODFJCR-200C	Indoor Cabinet Rack telecom fiber optic-Rear 1 door (900x300x2200mm)	Call
B1-ODFJCR-220C	Indoor Cabinet Rack telecom fiber optic-Rear 2 door (900x300x2200mm)	Call

Fiber optic cabinet is a high-capacity, high-density fiber distribution frame indoor floor standard 19inch front two transparent doors reae two metal door



ด้านหน้า เปิด 2 บาน



ด้านหน้า



ด้านหลัง เปิด 1 บาน



Fiber optic cabinet distribution

Part Number	Description	List Price
B1-JGPX1800	Indoor Cabinet Rack telecom fiber optic-Rear 1 door (750x600x2200mm) (ประตูเปิดหน้า 1 บาน พร้อมช่องมองใส 15 ช่อง, ด้านหลังประตู 1 บาน เปิด ซ้ายไปขวา, ใส่สายได้สูงสุด 1800 Core)	Call
B1-JGPX2275	Indoor Cabinet Rack telecom fiber optic-Rear 2 door (750x600x2200mm) (ประตูเปิดหน้า 2 บาน ช่องมองใส, ด้านหลังประตู 2 บาน เปิด ซ้ายไปขวา, SPlice Tray 32 pcs Max: 512 Core)	Call



B1-JGPX1800



B1-JGPX2275



CABINET INDOOR FOR FIBER OPTIC CABLE

Fiber optic cabinet distribution

Part Number	Description	List Price
B1-JCR200	Indoor Cabinet Rack telecom fiber optic (900x300x2000mm)	Call

(เป็นตู้ ที่เปิด ทั้งด้านหน้า และ ด้านหลัง เพื่อใส่ ODF-Rack mount ได้สะดวก, ใช้สี Code RAL7035)



Fiber optic cabinet distribution

Part Number	Description	List Price
B1-JGPX216F	Indoor Cabinet Rack telecom fiber optic (240x300x2200mm)	Call

(เป็นตู้ขนาดเล็ก สำหรับพื้นที่จำกัด โดยใส่ถาด ODF พลาสติก ได้สูงสุด 18 ตัว จำนวนสายสูงสุด 216 Core)



Fiber optic cabinet distribution

Part Number	Description	List Price
B1-JC120	Indoor Cabinet Rack telecom fiber optic (800x400x1200mm)	Call


(เป็นตู้เก็บสาย ด้วย ODF ขนาดเล็ก บานประตูหน้ามีช่องมอง 2 ด้าน)



OUTDOOR Fiber optic cabinet distribution

Part Number	Description	List Price
B1-HC96	96 Core Outdoor Cabinet Rack telecom fiber optic (860x525x300mm)	Call
B1-HC144	144 Core Outdoor Cabinet Rack telecom fiber optic (735x525x300mm)	Call

(เป็นตู้เก็บสาย ภายนอกอาคาร ด้วย ODF พร้อม Splice Tray ได้ 8 ตัว 12 Core, ใส่สายได้สูงสุด 96 และ 144 Core)



Outdoor Wall mounted, Pole mounted

THE CABINET OUTDOOR

WALL MOUNT & CABINET OUTDOOR

Cross Cabinet Outdoor 288 Core fiber optic

Part Number	Description	List Price
B1-18-C-288(SMC)	288 Core SMC Cabinet Outdoor Fiber optic(ราคารวมอุปกรณ์)	54,668
B1-18-C-288(STS)	288 Core Stainless Cabinet Outdoor Fiber optic(ราคารวมอุปกรณ์)	Call


(Standard Outdoor IP65)



ตู้ผลิตจาก SMC



ตู้ที่ผลิตจาก Stainless Steel

Rack Mount กับ FC-Pigtail 0.9mm
สายมี 12 สี

*Cabinet was made by high-intensity SMC unsaturated polyester anticorrosion special synthetic material, high-performance insulation can withstand drastic changes in climate and poor working conditions

Cross Cabinet Outdoor 144 Core fiber optic

Part Number	Description	List Price
B1-18-C-144(SMC)	144 Core SMC Cabinet Outdoor Fiber optic (ราคารวมอุปกรณ์)	42,000
B1-18-C-144(STS)	144 Core Stainless Cabinet Outdoor Fiber optic (ราคารวมอุปกรณ์)	48,668


(Standard Outdoor IP65)



ตู้ผลิตจาก SMC



ตู้ที่ผลิตจาก Stainless Steel

Rack Mount กับ FC-Pigtail 0.9mm
สายมี 12 สี

ตัวอย่างการติดตั้ง



มีวัสดุที่เป็น Stainless สามารถสั่งพิเศษได้
รับงานสั่งผลิตตู้เหล็กทุกชนิด

Cross Cabinet SMC Outdoor 576-1152 Core fiber optic

Part Number	Description	List Price
B1-18-C-576(SMC)	576 Core SMC Cabinet Outdoor Fiber optic(ราคารวมอุปกรณ์)	Call
B1-18-C-1152(SMC)	1,152 Core SMC Cabinet Outdoor Fiber optic(ราคารวมอุปกรณ์)	Call
B1-18-C-576(STS)	576 Core Stainless Cabinet Outdoor Fiber optic(ราคารวมอุปกรณ์)	Call
B1-18-C-1152(STS)	1,152 Core Stainless Cabinet Outdoor Fiber optic(ราคารวมอุปกรณ์)	Call

ตู้ผลิตจาก SMC

Dimension: 1450x760x600 mm



ตู้ที่ผลิตจาก Stainless Steel

Dimension: 1450x760x600 mm



- Protection Grade: IP65
- Installation way: Aerial, Ground-mount, Wall mounted
- Door way: Double door-front and back door or left and right door

WALL MOUNT & CABINET OUTDOOR

27-42U Rack Outdoor 19" Cabinet

Part Number	Description	List Price
B1-WMP27-XXX	27U Cabinet Rack outdoor 19inch (FAN)(Height 1700mm)(ตู้ภายนอกอาคาร)	Call
B1-WMP42-XXX	42U Cabinet Rack outdoor 19inch(FAN) (Height 2300mm)(ตู้ภายนอกอาคาร)	Call

(ความลึกสามารถสั่งได้มาตรฐาน 600mm,800mm,1000 mm)



Fiber optic Cross connection Cabinet SMC Outdoor 144-1152 Core

Part Number	Description	List Price
B1-CRA144(SMC)	144 Core SMC Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1035x550x310mm)	Call
B1-CRA288(SMC)	288 Core SMC Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1450x760x340mm)	Call
B1-CRA576(SMC)	576 Core SMC Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1450x760x560mm)	Call
B1-CRA1152(SMC)	1,152 Core SMC Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1450x1400x560mm)	Call



144 Core
Max.1x32 PLC-Splitter: 6 pcs



288 Core
Max.1x32 PLC-Splitter: 10 pcs



576 Core Max.1x32 PLC-Splitter: 20 pcs
1152 Core Max.1x32 PLC-Splitter: 40 pcs

Fiber optic Cross connection Cabinet Stainless Outdoor 144-1152 Core

Part Number	Description	List Price
B1-CRB144(STL)	144 Core Stainless Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1035x550x310mm)	Call
B1-CRB288(STL)	288 Core Stainless Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1450x760x340mm)	Call
B1-CRB576(STL)	576 Core Stainless Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1450x760x560mm)	Call
B1-CRB1152(STL)	1,152 Core Stainless Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1450x1400x560mm)	Call



144 Core
Max.1x32 PLC-Splitter: 6 pcs



288 Core
Max.1x32 PLC-Splitter: 10 pcs



576 Core Max.1x32 PLC-Splitter: 20 pcs
1152 Core Max.1x32 PLC-Splitter: 40 pcs

WALL MOUNT & CABINET OUTDOOR

Fiber optic Cross connection Cabinet Stainless/SMC Outdoor 144-576 Core

Part Number	Description	List Price
B1-CRC144(XXX)	144 Core Stainless/SMC Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1035x550x310mm)	Call
B1-CRC288(XXX)	288 Core Stainless/SMC Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1450x760x340mm)	Call
B1-CRC576(XXX)	576 Core Stainless/SMC Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1450x760x560mm)	Call



144 Core
Max.1x8 PLC-Splitter: 12 pcs



288 Core
Max.1x8 PLC-Splitter: 28 pcs



576 Core
Max.1x8 PLC-Splitter: 56 pcs

Fiber optic Cross connection Cabinet Stainless/SMC Outdoor 144-576 Core

Part Number	Description	List Price
B1-CRD144(XXX)	144 Core Stainless/SMC Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1035x550x310mm)	Call
B1-CRD288(XXX)	288 Core Stainless/SMC Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1450x760x340mm)	Call
B1-CRD576(XXX)	576 Core Stainless/SMC Cross Cabinet Outdoor Fiber optic(ตู้เปล่า) (1450x760x560mm)	Call



- 144: Max.1x8 PLC-Splitter: 8 pcsx3
- 288: Max.1x8 PLC-Splitter: 16 pcsx3
- 576: Max.1x8 PLC-Splitter: 32 pcsx3

Wireless Outdoor Cabinet

Part Number	Description	List Price
B1-WC22UB	Integrated cabinet (2160x900x900mm)(temp. control AC+DC TEC), 22U + 2 Battery holder	Call
B1-WC40UB	Outdoor equipment cabinet (2160x900x900mm)(temp. control AC), 40U capacity allocation	Call
B1-WC31UB	Outdoor equipment cabinet (1760x900x900mm)(temp. control AC), 31U capacity allocation	Call
B1-WC312UB	Outdoor equipment cabinet (1760x750x750mm)(temp. control AC), 31U capacity allocation	Call
B1-WCBB4	Outdoor battery cabinet (2160x900x900mm)(temp. control TEC), 4 Battery holder	Call
B1-WCBB3	Outdoor battery cabinet (1760x900x900mm)(temp. control TEC), 3 Battery holder	Call
B1-WCBB32	Outdoor battery cabinet (1760x750x750mm)(temp. control TEC),3 Battery holder	Call



- 19" Standard rack for equipment
- Temperature Control solution (heat exchange, TEC, ventilation system for option)
- support power supply batteries and grounding lightning proof device.

CROSS CABINET OUTDOOR


1152 Core SMC Optic Fibre Cross Connection Cabinet

Part Number	Description	List Price
B1-G1152A	1152 Core SMC Optic Fibre Cross Connection Cabinet Shape size: 1145x1420x572mm	Call

(Standard Outdoor IP65)




Enclosure size: 1200x1460x620mm.
Base size : 350x1460x620mm



576 Core SMC Optic Fibre Cross Connection Cabinet

Part Number	Description	List Price
B1-G576A	576 Core SMC Optic Fibre Cross Connection Cabinet Shape size: 1145x1420x320mm. (high x width x deep)	Call

(Standard Outdoor IP65)




Enclosure size: 1200x1460x360mm.
Base size : 350x1460x360mm



576 Core SMC Optic Fibre Cross Connection Cabinet

Part Number	Description	List Price
B1-G576B	576 Core SMC Cabinet Outdoor Fiber optic cable	Call
B1-G576A	19" Rack for equipment SMC Cabinet Outdoor Fiber optic cable	Call

(Standard Outdoor IP65)



Enclosure size: 1200x750x620mm.
Base size : 350x750x620mm



Front and Back door Opening
ประตู เปิด หน้าและหลังได้




CROSS CABINET OUTDOOR

576 Core SMC Optic Fibre Cross Connection Cabinet

Part Number	Description	List Price
B1-G576C	576 Core SMC Optic Fibre Cross Connection Cabinet Shape size: 1020x720x588mm.	Call

(Standard Outdoor IP65)



Enclosure size: 1100x750x620mm.
Base size : 350x750x620mm



Front and Back door Opening
ประตู เปิด หน้าและหลังได้




- Traditional outdoor embedded type, suitable for the large capacity internals design and the transformation box of optic fiber cross connection cabinet use.

576 Core SMC Optic Fibre Cross Connection Cabinet

Part Number	Description	List Price
B1-G576D	576 Core SMC Optic Fibre Cross Connection Cabinet Shape size: 1020x720x508mm	Call

(Standard Outdoor IP65)



Enclosure size: 1100x750x540mm.
Base size : 350x750x540mm



Front and Back door Opening
ประตู เปิด หน้าและหลังได้





- Traditional box, suitable for telecommunications, mobile and other regular internal design. Slide panel, door plank thicken 8mm and common two kinds.

288 Core SMC Optic Fibre Cross Connection Cabinet

Part Number	Description	List Price
B1-G288A	288 Core SMC Optic Fibre Cross Connection Cabinet Shape size: 1066x720x320mm.	Call

(Standard Outdoor IP65)



Enclosure size: 1100x750x540mm.
Base size : 350x750x540mm



-Single front door opening
-Single front and Back door opening




- Heightening, deepening housing, suitable for large capacity and expansion and fiber optic cable transfer box

WALL MOUNT & CABINET OUTDOOR

288 Core SMC Optic Fibre Cross Connection Cabinet

Part Number	Description	List Price
B1-G288B	288 Core SMC Optic Fibre Cross Connection Cabinet Shape size: 1020x720x320mm.	Call

(Standard Outdoor IP65)



Enclosure size: 1100x750x360mm.
Base size : 350x750x360mm

-Single front door opening
-Single front and Back door opening



- Deepening housing, suitable for no jumper internals design

288 Core SMC Optic Fibre Cross Connection Cabinet

Part Number	Description	List Price
B1-G288C	288 Core SMC Optic Fibre Cross Connection Cabinet Shape size: 1020x720x300mm.	Call

(Standard Outdoor IP65)



- Hanging & Ground installation



Enclosure size: 1100x750x320mm.
Base size : 350x750x320mm



-Single front door opening
-Single front and Back door opening



- Traditional box, suitable for telecommunications, mobile and other regular internals design. Side panel, door plank thicken 8 mm and common two kinds

144 Core SMC Optic Fibre Cross Connection Cabinet

Part Number	Description	List Price
B1-G144A	144 Core SMC Optic Fibre Cross Connection Cabinet Shape size: 725x520x290mm.	Call

(Standard Outdoor IP65)



- Hanging & Ground installation



Enclosure size: 800x555x310mm.
Base size : 235x555x310mm



-Single front door opening



- Suitable for no jumper, regular internals design. To meet the requirements of the telecommunications, mobile operators. More than 8 mm side panel, door plank and conventional two kinds

WALL MOUNT & CABINET OUTDOOR

96 Core SMC Optic Fibre Cross Connection Cabinet

Part Number	Description	List Price
B1-G96A	96 Core SMC Optic Fibre Cross Connection Cabinet	Call

Shape size: 680x520x290mm. (high x width x deep)

(Standard Outdoor IP65)



Enclosure size: 710x550x310mm,
Base size : 230x550x310mm

-Single front door opening




- No jumper, regular internals design

72 (96) Core Fibre Optical Distribution Box (SMC)

Part Number	Description	List Price
B1-G96B	72 (96) Core Fibre Optical Distribution Box (SMC material)	Call

Shape size: 680x520x150mm. (high x width x deep)

(Standard Outdoor IP65)



- SMC Material

- Single front door opening

- Hanging installation

- Profile with shutter, suitable for active equipment use, wall mounted design easy to use

48 Core Fibre Optical Distribution Box (SMC)

Part Number	Description	List Price
B1-G48A	48 Core Fibre Optical Distribution Box	Call

Overall size: 445x320x180mm. (high x width x deep)

(Standard Outdoor IP65)



- SMC Material

- Single front door opening

- Hanging installation

- Add waterproof cover design, waterproof performance more safe.

WALL MOUNT & CABINET & FTTH BOX OUTDOOR


48 Core Fibre Optical Distribution Box

Part Number	Description	List Price
B1-G48B	48 Core Fibre Optical Distribution Box Overall size: 480x380x130mm. (high x width x deep)	Call


(Standard Outdoor IP65)



- SMC Material



- Single front door opening



- Hanging installation

- According to customer's demand, convenient operation, the box body can be designed to other functions.


32 Core FTTH Optical fiber (branching) box, SMC

Part Number	Description	List Price
B1-FS32E	32 Core SMC FTTH optical fiber (branching) box Overall size: 420x350x170mm. (high x width x deep)	Call


(Standard Outdoor IP65)



- SMC Material



- Single front door opening



- Hanging installation

- Double-Layer structure design, the top four slots for optical divider superposition


32 Core FTTH optical fiber (branching) box, SMC

Part Number	Description	List Price
B1-FS32F	32 Core SMC FTTH optical fiber (branching) box Overall size: 448.5x358.5x129mm. (high x width x deep)	Call


(Standard Outdoor IP65)




- SMC Material



- Single front door opening



- Hanging installation



- Double-Layer structure design, the upper of optical divider 4x8 core chip, the lower for optical fiber welding layer


WALL MOUNT & CABINET & FTTH BOX OUTDOOR

32 Core cable fiber FTTH (branching) box (PC alloy)


Part Number	Description	List Price
B1-FP32A	32 core cable fiber(branching) box, PC alloy FTTH	Call

(Standard Outdoor IP65)


Overall size: 420x320x125mm (high x width x deep)



A



B



C

- B: by 8 core insertion disk optical divider
- C: Install 48 SC/PC adapter (into)

- PC+ABS Material

- Single front door opening

- Hanging installation


- Double-Layer structure design, the upper of optical divider wiring layer, the lower for optical fiber welding layer

24 Core cable fiber FTTH (branching) box (PC alloy)


Part Number	Description	List Price
B1-FP16A	24 core cable fiber (branching) box, PC alloy FTTH	Call

(Standard Outdoor IP65)


Overall size: 340x265x120mm. (high x width x deep)



D



E



F

- E: 2 by 8 core chip optical divider (spectral)
- F: Install of 24 SC/PC adapter (into)

- PC+ABS Material

- Single front door opening

- Hanging installation

- Double-Layer structure design, the upper of optical divider wiring layer, the lower for optical fiber welding layer

16 Core cable fiber FTTH (branching) box (PC alloy)


Part Number	Description	List Price
B1-FP16B	16 Core cable fiber FTTH (branching) box	Call

(Standard Outdoor IP65)


Overall size: 362x346x113mm. (high x width x deep)



A



B



C

- 2 by 8 core chip optical divider (spectral type)

- PC+ABS Material

- Single front door opening

- Hanging installation

- Double-Layer structure design, the upper of optical divider wiring layer, the lower for optical fiber welding layer

WALL MOUNT & CABINET OUTDOOR

24 Core Fibre Optical Distribution Box


Part Number	Description	List Price
B1-FP24A	24 Core Fibre Optical Distribution Box-FTTH	Call

Overall size: 340x270x95mm. (high x width x deep)


(Standard Outdoor IP65)



- PC+ABS Material



- Single front door opening



- Hanging installation

- E: 2 by 8 core chip optical divider (spectral)

- F: Install of 24 SC/PC adapter (into)





- Double-Layer structure design, the upper of optical divider wiring layer, the lower for optical fiber welding layer

16 Core optical fiber (branching) box SMC FTTH

Part Number	Description	List Price
B1-FS16E	16 core optical fiber (branching) box, SMC	Call

Overall size: 426x350x120mm. (high x width x deep)

(Standard Outdoor IP65)



- B: 24 SC/PC adapter (into)

- C : Leather rope and cable hot melt type(straight)

-D : 2 by 8 core chip optical divider (spectral)

- Single front door opening

- Hanging installation




- Double-Layer structure design, the upper of optical divider wiring layer, the lower for optical fiber welding layer

24 Core Fiber Optical Distribution Box, PC alloy FTTH-Branching box

Part Number	Description	List Price
B1-FP24B	24 core Fiber Optical Distribution Box	Call

Overall size: 340x270x95mm. (high x width x deep)

(Standard Outdoor IP65)



- Hanging installation

- Derrick installation

- Single front door opening

- B: 2 by 8 core chip optical divider (spectral)

- C : 1x16 core box optical divider (spectral)


- D: 24 SC/PC adapter installation (into)

WALL MOUNT & CABINET & FTTH BOX OUTDOOR

8 core fiber optical distribution box (FTTH)

Part Number	Description	List Price
B1.-FPB-08A	8 core Fiber optic distribution box Overall size: 240x195x65mm (high x width x deep)	Call

- **Features:** Double-layer structure design, the upper for optical divider wiring layer, the lower for optical fiber welding layer



- PC+ABS Material
- Water proof level: IP65

- Single front door opening




- Hanging instalation
- Derrick instalation

WALL MOUNT & CABINET & FTTH OUTDOOR


8 Core Fibre Optical Distribution Box (FTTH)

Part Number	Description	List Price
B1-FPB-08B	8 Core Fibre Optical Distribution Box-FTTH Overall size: 215x165x50mm. (high x width x deep)	Call


- Water proof level: IP65
- PC+ABS Material



- Hanging installation
- Derrick installation




- **Features:** Double-layer structure design, the upper for optical divider wiring layer, the lower for optical fiber divider wiringlayer




- Single front door opening

12 Core Fibre Optical Distribution Box (FTTH)


Part Number	Description	List Price
B1-FPB-12A	12 Core Fibre Optical Distribution Box-FTTH Overall size: 250x190x40mm. (high x width x deep)	Call



- Hanging installation
- Derrick installation
- PC+ABS Material
- Water proof level: IP65



- **Features:** Double-layer structure design, the upper for optical divider wiring layer, the lower for optical fiber divider wiringlayer




- Single front door opening

WALL MOUNT & CABINET & FTTH BOX OUTDOOR

16 core fiber optical distribution box (FTTH)

Part Number	Description	List Price
B1.-FPB-16B	16 core Fiber optic distribution box Overall size: 300x225x75mm (high x width x deep)	Call



- Single front door opening

- PC+ABS Material
- Water proof level: IP65


- Hanging instalation
- Derrick installation

- **Features:** Double-layer structure design, the upper for optical divider wiring layer, the lower for optical fiber welding layer


16 core fiber optical distribution box (FTTH)

Part Number	Description	List Price
B1.-FPB-16B	16 core Fiber optic distribution box Overall size: 300x225x75mm (high x width x deep)	Call


- Water proof level: IP65



- PC+ABS Material



- Single front door opening



- Hanging instalation
- Derrick installation

- **Features:** Double-layer structure design, the upper for optical divider wiring layer, the lower for optical fiber welding layer


WALL MOUNT & CABINET & FTTH OUTDOOR

24 Core Fibre Optical Distribution Box (FTTH)


Part Number	Description	List Price
B1-FP24A	24 Core Fibre Optical Distribution Box-FTTH Overall size: 340x270x95mm. (high x width x deep)	Call



- PC+ABS Material
- Water proof level: IP65



- Single front door opening




- Hanging installation
- Derrick installation


- **Features:** Double-layer structure design, the upper for optical divider wiring layer, the lower for optical fiber welding layer

24 Core Fibre Optical Distribution Box (FTTH)


Part Number	Description	List Price
B1-FPB-24B	24 Core Fibre Optical Distribution Box-FTTH Overall size: 340x250x110mm. (high x width x deep)	Call



- PC+ABS Material
- Water proof level: IP65



- Single front door opening



- Hanging installation
- Derrick installation

- **Features:** Double-layer structure design, the upper for optical divider wiring layer, the lower for optical fiber welding layer

ALL KINDS OF BOX DERRICK STYLE

288 core B1-G288A type /B1-G288A type/ B1-G288C type Derrick stents

Part Number	Description	List Price
B1-G288A/B/C	288 core B1-G288A type /B1-G288A type/ B1-G288C type Derrick stents	Call
B1-G144A	144 core B1-G144A type /B1-G96A type Derrick stents	Call



B1-G288A/B/C




B1-G144A/B1-G96A

All Kinds of box derrick style


Part Number	Description	List Price
B1-FP16-32	For B1-FP16-32 Core rod bracket	Call
B1-FP32B	For B1-FP32B Derrick stents	Call
B1-FP16B	For B1-FP16B Derrick stents	Call



B1-FP16-32




B1-FP32B



B1-FP16B

All Kinds of box derrick style


Part Number	Description	List Price
B1-FS16E/TD	For B1-FS16E/TD - FS32E derrick stents	Call
B1-FS16-32	For B1-FS16-32 core rod bracket	Call
B1-FP12A/TD	For B1-FP12A/TD-FP24B derrick components	Call



B1-FS16E/TD



B1-FS16-32



B1-FP12A/TD

SHETT METAL TYPE CABLE FIBER (Branching) Box

32-96 Core of three nets Cabinet

Part Number	Description	List Price
B1-FB-96A	96 core of three nets (740x450x140mm)	Call
B1-FB-32A	32 core Chip Branch Box (460x340x120mm)	Call



B1-FB-96A




B1-FB-32A

32-96 Core light box


Part Number	Description	List Price
B1-FB-96B	96 core light box (740x450x140 mm)	Call
B1-FB-32B	32 core light box (600x350x130 mm)	Call
B1-FB-48A	48 core light box (370x370x105 mm)	Call




B1-FB-96B



B1-FB-32B



B1-FB-48A




B1-FB-32B (open)


SHETT METAL TYPE CABLE FIBER (Shunt) Box

Sheet metal type cable fiber (shunt) box

Part Number	Description	List Price
B1-FB-16A	16 Core spectral branch box(380x300xx130mm)	Call
B1-FB-48B	48 Core spectral branch box(390x425xx95mm)	Call




B1-FB-16A




B1-FB-48B

Spectral branch box / branch box

Part Number	Description	List Price
B1-FB-16B	16 Core Spectral branch box(380x300x130mm)	Call
B1-FB-24A	24 Core fiber cable branch box(straight welding(380x300x130mm)	Call



B1-FB-16B



B1-FB-24A

ACCESSORIES WALL MOUNT & CABINET OUTDOOR

12 Core integrated Module (V2.0)

Part Number	Description	List Price
B1-TP01	12 core integrated Module(V2.0) (290x180x25mm) เอียงขวา	Call
B1-TP02	12 core integrated Module(V2.0) (290x180x25mm) เอียงซ้าย	Call



B1-TP01 (Connector เอียงขวา)



B1-TP01 (Connector เอียงซ้าย)

Integrated Module

Part Number	Description	List Price
B1-TP06	Miniature tray which leads to the disk (V2.0)(200x180x25mm)	Call
B1-TP03	12 Core Integrated module (V3.0) (290x180x25mm)	Call



B1-TP06



B1-TP03

Integrated Module

Part Number	Description	List Price
B1-TP05	12 Core Integrated module (310x200x25mm)	Call
B1-TP04	12 Core Integrated module (Mini) (200x180x25mm)	Call



B1-TP05



B1-TP04

ACCESSORIES WALL MOUNT & CABINET OUTDOOR

Storage Integrated Module

Part Number	Description	List Price
B1-TP07	Storage Integrated Module(290x180x25mm) แบบตรง	Call
B1-TP08	Storage Integrated Module(290x180x25mm) แบบเอียง	Call




B1-TP07



B1-TP08

The Integrated Module

Part Number	Description	List Price
B1-TP09	Storage Integrated Module (290x180x25mm) 2 ช่อง	Call
B1-TP10	Storage Integrated Module (290x180x25mm) 3 ช่อง วนสาย	Call



B1-TP09



B1-TP10

The Integrated Module

Part Number	Description	List Price
B1-TP011	1x32 Optical branching tray (wide side) (310x180x50mm) ช่องเปล่า	Call
B1-TP12	1x32 Optical branching tray (narrow side) (290x180x50mm) ช่องเปล่า	Call



B1-TP11



B1-TP12

ACCESSORIES WALL MOUNT & CABINET OUTDOOR

1x16 Optical Branching Tray

Part Number	Description	List Price
B1-TP13	1*16 Optical Branching Tray (narrow side) (290x180x25mm)	Call
B1-TP14	1*16 Optical Branching Tray (wide side) (310x180x25mm)	Call




B1-TP13




B1-TP14

24 core Integrated Module (V2.0)

Part Number	Description	List Price
B1-TP15	24 core Integrated Module (V2.0) (540x195x25mm)	Call
B1-TP16	24 core Integrated Module (V2.0) (325x200x25mm)	Call
B1-TP17	1x32 core Optical branching tray (wide-side) (322x205x50mm)	Call



B1-TP15




B1-TP16




B1-TP17

Integrated Module-Box


Part Number	Description	List Price
B1-TP18	1x32 core Optical branching tray (wide-side) (325x215x50mm)	Call
B1-ZMH01	Desktop box (86x86x22mm)	Call
B1-ZMH02	Desktop box (86x86x22mm) with Label	Call



B1-TP18



B1-ZMH01



B1-ZMH02


OPTICAL FIBER (Branching) Box

2 Core fiber optic distribution box


Part Number	Description	List Price
B1-FPS-02	12 Core fiber optic distribution box Overall size (170x100x30mm)	Call



- PC+ABS Material
- Water proof level: IP65



- Single front door opening




- Hanging installation
- Derrick installation



- **Features:** Double-layer structure design, the upper for optical divider wiring layer, the lower for optical fiber welding layer

Desktop boxes

Part Number	Description	List Price
B1-ZMH05	Desktop box (size 116x85x22 mm)	Call
B1-ZMH06	Desktop box (size 105x82x21 mm)	Call
B1-ZMH07	Desktop box (size 145x88x10 mm)	Call
B1-ZMH08	Desktop box (size 130x85x25 mm)	Call




B1-ZMH05



B1-ZMH06



B1-ZMH07




B1-ZMH08


FTTH BOXES - WALL SOCKET FOR FIBER OPTIC CA

FTTH Boxes and Wall boxes


Part Number	Description	List Price
B1-G000	Wall mount 2xSC Adapter simplex (86.5x86.5x20.4mm) ABS	Call
B1-G008	Wall mount 2xSC Adapter simplex (86x86x24.2mm) ABS	Call
B1-G009A	Wall mount 2xSC Adapter simplex (97.9x86.3x22mm) ABS	Call
B1-G010	Wall mount 2xSC Adapter simplex (97.8x86.1x27.9mm) ABS	Call
B1-G011	Wall mount 2xSC Adapter simplex (85x85x26mm) ABS	Call




B1-G009A (Splicing 2 Fiber)
with hinged cover




B1-G010 (Splicing 2 Fiber)
with hinged cover



B1-G008 (Splicing 2 Fiber)




B1-G011 (Splicing 2 Fiber)
without flange



B1-G000 (Splicing 2 Fiber)

FTTH Boxes and Plastic Terminal boxes


Part Number	Description	List Price
B1-BC08	Terminal box 8xSC Adapter simplex, 2 cable port, ABS	Call
B1-BP08	Terminal box 8xSC Adapter simplex, 1 PG gland & 8 out port, ABS	Call
B1-BR24	Terminal box 24xSC Adapter simplex, 2 cable port, ABS	Call
B1-BE48	Terminal Splice box 48 fibers, 1 round & 1 oval & 12 drop cable, ABS	Call



B1-BP08 (Splicing 8 Fiber)
Outdoor Wall mounted &
Poles mounted, Can load PLC
1:4, 1:8 splitter
(171.4x234.5x47.4mm)



B1-BE48 (Splicing 48 Fiber)
Indoor wall mounted, cable
entry without cutting
(1150x226x54.5mm)



B1-BR24 (Splicing 24 Fiber)
Indoor wall mounted, cable
entry without cutting, two
modules: the one is for max. 24
fiber splicing, the other is for
1 PLC-1:16 splitter & 8 fiber
splicing (193x246.5x53.2mm)




B1-BC08 (Splicing 8 Fiber)
Indoor wall mounted, Cable
entry without cutting
(130x199x128.5mm)


OPTICAL FIBER (Branching) Box

Plastic Terminal Box / FTTH Box


Part Number	Description	List Price
B1-BC04	Terminal box 4xSC adapter simplex, 2 cable port, ABS	Call
B1-BC04A	Terminal box 4xSC adapter simplex, 1 in & 4 port, ABS	Call
B1-BC04C	Terminal box 4xSC adapter simplex, 3 port & 4 drops cable port, ABS	Call
B1-BC04D	Terminal box 4xSC adapter simplex, 2 port & 4 drops cable port. ABS	Call
B1-BC04E	Terminal box 2xSC adapter simplex, 2 cable port. ABS	Call




B1-BC04A (Splicing 8 Fiber)
Outdoor wall mounted, Pole
mounted optical, Can load
PLC 1:4 splitter
(141.6x211.6x39.8mm)




B1-BC04C (Splicing 8 Fiber)
Indoor wall mounted, cable
entry without cutting, Can
load PLC 1:4 splitter & 4 pcs
mechanical splicers
(130x180x30.4mm)



B1-BC04D (Splicing 8 Fiber)
Indoor wall mounted, cable
entry without cutting, Can
load PLC 1:4 splitter
(90x165.73x24.1mm)




B1-BC04 (Splicing 4 fibers)
Indoor wall mounted
(150x110x34mm)




B1-BC04E (Splicing 4 Fibers)
Indoor wall mounted, cable entry
without cutting
(90x124x22mm)

FTTH drop cable protection box

Part Number	Description	List Price
B1-DMINI01	Drop protection box, 1xSC adapter simplex, 2 port (1 in 1 out)	Call
B1-DMINA02	Drop protection box, 1xSC adapter simplex, 2 port (1 in 1 out)	Call




B1-DMINI01 (Splicing 1 fibers)
Outdoor wall mounted, Can load
SC fast connector or mechanical
splicer (160x48x16mm)



B1-DMINA02 (Splicing 1 fibers)
Outdoor wall mounted, Can load
SC fast connector or mechanical
splicer (160x48.2x16mm)





Bismon®

COMMUNICATION PRODUCTS



0 2563 5000



@BISMON



www.bismon.com