

240W/48V Industrial DIN Rail Power Supply

(GWS-DP240-48)



Application

- Industrial Control System
- Semiconductor fabrication equipment
- Factory automation
- Electro-mechanical apparatus

Description

GWS-DP240-48 is one economical slim 240W industrial DIN Rail power supply series, adapting to be installed on TS-35/7.5 or TS-35/15 mounting rails. The entire series adopts the full range AC input from 90VAC to 264VAC and conforms to EN61000-3-2, the norm the European Union regulates for harmonic current.

GWS-DP240-48 is designed with a metal shell, which is easy to increase the heat dissipation of the machine. The working efficiency is as high as 90%. The product can work in -40°C to 70°C ambient temperature under the condition of air circulation. It has a constant current mode overload protection function and is suitable for various Inductive or capacitive load applications, complete protection functions and compliance with industrial control equipment certifications, making GWS-DP240-48 a very competitive power solution for industrial applications.



Technical Specification

Model	GWS-DP240-48			
	Group of Output	1		
	DC Voltage	DC 48V		
	Default Output Voltage	48.00-48.2V (VIN: 220VAC / LOAD: 0A)		
	Output Rated Current	5A		
	Output Current Range	0-5A		
	Output Rated Power	240W		
Output	Total Peak Output Power	Up to 360W(Sustainable time <u>10</u> S/220VAC)		
	Peak Output Current	7.5A(Sustainable time <u>10</u> S/220VAC)		
	Ripple noise	Peak - Peak ≤100mV (Test Method: The terminal shall be in parallel with capacitance of 0.1uF and 47uF, testing at 20MHz)		
	Output Regulation Range	47∼56V		
	Stabilized Voltage Precision	±1% (@ 90V-264Vac input, 100% load)		
	Line Regulation	±0.5% (@ 90-264Vac input, 100% load)		
	Load Regulation	±1% (@ 90-264Vac input, 0-100% load)		
	Output Start Time	< 2S @ nominal input (100% load)		
	Output Hold Time	> 20ms @ 115Vac, > 115 ms @ 230Vac (100% load)		
	Voltage Overshoot	≤5%		
Input	Input Voltage Range	90~264VAC		
	Input Rated Voltage Range	100~240VAC		
	Frequency Range	47~63Hz		
	Rated Frequency	50/60Hz		
	Starting Voltage	90Vac		
	Efficiency	> 90.0% @ 115Vac, > 91.0% @ 230Vac		
	Input Current @25°C	< 4.40A @ 115Vac, < 2.20A @ 230Vac		
	Inrush Starting Current @25℃	< 35A @ 115Vac & 230Vac		
	Power Factor	> 0.99 @ 115Vac, > 0.93 @ 230Vac		



Protection	Output	Over power	288~360W Swing machine (Testing method: Increase the output current until enabling the protection. Protection mode:Swing machine, Self-recovery after over-power released.)
		Over voltage	57~70V Swing machine (Short circuit the Pin1-2 of U8, swing machine. Output recovery to normal after removing the short circuit) Note: Do not use external voltage.
		Over current	6~7.5A Swing machine (Testing method: Increase the output current until enabling the protection. Protection mode:Swing machine, Self-recovery after over-current released.)
		Short circuit	It achieves the long-term short circuit by connecting a sufficient cross-sectional area copper cable (Length at 15cm±5cm) with power output port. Self-recovery to normal after removing the short circuit.
	Operation Temperature and Humidity		′-40°C~70°C; 20%~95%RH
	Storage Temperature and Humidity		40℃~85℃; 10%~95%RH non-condensing
	Temperature Coefficient		±0.03%/°C (0~50°C)
Operation Environme nt	Libration		Frequency range: 10 ~ 500Hz, Acceleration: 2G, Each sweep cycle 10min. Six sweeps along the X_X_and Z axis
	Surge		Acceleration: 20G, Duration time: 11mS, Three shocks along X, Y and Z axis
	Altitude		2000m
Safety and EMC Standard @25℃	Security Standard		GB4943/EN60950 ■Reference □Certification
	Dielectric Strength		Input—Output:3KVac/10mA; InputCase:1.5KVac/10mA; OutputCase:0.5KVDC/10mA Time for each testing is 1min.
	Grounding Test		Test Condition: 32A/2min; Ground bond: $<$ 0.1 ohms.
	Leakage Current @25℃		Input to GND ≤3.5mA; Input to output ≤0.25mA (Input 264Vac, 63Hz)
	Insulation Resistance		Input—Output: 10M ohms;
	EMI	Conducted Interference	EN55022, EN55024, FCC PART 15 CLASS B



		Radiated Interference	EN55022, EN55024, FCC PART 15 CLASS B
	Harmaonic curre	nt	EN61000-3-2 CLASS D
	EMS	Conducted Emission	EN61000-4-6 Level3
		Radiated Emission	EN61000-4-3 Leve3 criterion B
		Power Frequency Emission	EN61000-4-8 Level3
		Electrostatic Emission	EN61000-4-2 Level4 criterion B
		EFT	EN61000-4-4 Level4 criterion B
		Surge	EN61000-4-5 Level4 criterion B
		Dip and Interruption	EN61000-4-11
Dimensions (W*H*D)			130.5*124*45mm

Dimension



Block Diagram

oo 💼 🜒



GWS-DP240W



Derating Curve

Static Characteristic Curve



Contact Us



Tel: 0086-755-33376606 Fax: 0086-755-33376608 Email: <u>onv@onv.com.cn</u> Website: <u>www.gwsdz.com/</u> Zip: 518000

Headquarter Address: Room 1003, Block D, Terra Building, Futian district, Shenzhen, China Factory Address: The 4-6th Floor, A building, SenYuTai (Science&Technologoy) Park, HuaNing Road, Dalang sub-district, Longhua district, Shenzhen , China